

kVA	kW	Amps	Genset Model	Engine Model	No.of Cylinders	BHP@ 1500 rpm	Fuel Cons. g/bhp-hr	Fuel Tank (Lit)	Genset Dimension LxWxH (mm)	Aprx. Genset Weight (kg)
10.0	8	14.0	RP10-3	1000.2WG	2	25	157	100	1875x900x1306	725
15.0	12	20.8	RP15-3	1000.2WG	2	25	157	100	1875x900x1306	750
20.0	16	27.8	RP20-3	1000.2WG	2	25	160	100	1875x900x1306	760
25.0	20	34.8	RP25-3	1000.3WG	3	38.4	155	100	2240x900x1326	825
30.0	24	41.7	RP30-3	1000.3WG	3	38.4	158	100	2240x900x1326	850
35.0	28.0	48.7	RP35-3	1000.3WTG*	3	52	160	150	2240x900x1326	910
40.0	32.0	56.0	RP40-3	1000.3WTG*	3	52	160	150	2240x900x1326	910
45.0	36	63.0	RP45-3	1000.4WTG*	4	59.7	155	150	2610x1050x1588	1050
50.0	40	70.0	RP50-3	1000.4WTG*	4	59.7	155	150	2610x1050x1588	1100

*Turbocharged

Typical 230V, 50Hz. 0.8PF 1 Phase Silent Water Cooled Genset

kVA	kW	Amps	Genset Model	Engine Model	No.of Cylinders	BHP@ 1500 rpm	Fuel Cons. g/bhp-hr	Fuel Tank (Lit)	Genset Dimension LxWxH (mm)	Aprx. Genset Weight (kg)
10.0	8	43.5	RP10-1	1000.2WG	2	25	157	100	1875x900x1306	730
15.0	12	65.2	RP15-1	1000.2WG	2	25	157	100	1875x900x1306	780
20.0	16	86.9	RP20-1	1000.2WG	2	25	160	100	1875x900x1306	800
25.0	20	108.6	RP25-1	1000.3WG	3	38.4	155	100	2240x900x1326	900
30.0	24	129	RP30-1	1000.3WG	3	38.4	158	100	2240x900x1326	900
35.0	28.0	152	RP35-1	1000.3WTG*	3	52	160	150	2240x900x1326	955
40.0	32.0	174	RP40-1	1000.3WTG*	3	52	160	150	2240x900x1326	955

*Turbocharged









MODEL 1000.3WG - 30.404

HP 30.4 RPM 1750

SERIAL NO. 25530109



SAME DEUTZ FAHR INDIA (P) Ltd.
INDIA.

ENGINE MODEL

1000.3WTG = 2500

RATED HP

52

RPM

1500

SERIAL NO.

2525728M09











